

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

Bay Resource Group, Inc.

Unit #173-11280 Twigg Place, Richmond, BC, Canada

For the following product(s):

Vinyl Tile:

Loose Lay (up to 5.0mm), Vinyl Floor (up to 6.0mm), WPC Flooring (up to 8.3mm), Acoustic Click CompositeCore (up to 8.3mm), Engineered Rigid Vinyl Plank (up to 8mm), SPC (up to 5mm)

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

FloorScore®

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Between 0.5 – 5.0 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-03863

Valid from: December 1, 2018 to November 30, 2019

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



ISO/IEC 17065
Product Certification Body
#0821



A handwritten signature in black ink that reads "Stanley Mathuram".

Stanley Mathuram, PE, Vice President
SCS Global Services
2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA